



2023

# Drinking Water Quality Report



## What is a Drinking Water Quality Report?

The State of Colorado requires every drinking water supplier to publish an annual document known as a Consumer Confidence Report (CCR). CCRs provide detailed information about drinking water quality, results of laboratory testing and other items of interest.

At Loveland Water and Power (LWP), our top priority is ensuring the water you use to wash your hands, bathe your children and prepare healthy meals meets all state and federal drinking water standards. The trusted experts at Loveland Water and Power deliver high quality, clean drinking water 24 hours a day, 365 days a year.



## Loveland's Water System


Water collected and stored in reservoirs before treatment is known as source water. LWP's source water supply comes from the Big Thompson River Basin and the Colorado River Basin via the Colorado-Big Thompson Project (CBT) and the Windy Gap Project.

### Big Thompson Watershed

A watershed is an area of land containing streams and rivers that drain into a single body of water such as a larger river or lake. Natural or human impacts on the water and surrounding land affect water quality within a watershed. LWP supports the protection and improvement of Big Thompson Watershed water quality through collaborative monitoring, assessment, education and outreach. This work enables LWP to identify water quality trends and provide valuable information about protecting LWP's water sources.

### COLORADO-BIG THOMPSON PROJECT

The Colorado-Big Thompson Project, which moves water from the Colorado River to the Big Thompson River, is the largest transmountain water project in the state.



### ALVA B. ADAMS TUNNEL

The Alva B. Adams Tunnel runs for 13.1 miles in a straight line under the Continental Divide. Construction began in 1940 but work was suspended for a few years due to World War II.

# Where Your Water Comes From



# The Water Treatment Process

## Step 1 Coagulation

The water we collect from nature flows into large mixing bowls at our treatment plant where chemicals are added at safe amounts to cause the small particles of impurities to stick to one another, forming larger particles. This is called coagulation, which means thickening.

## Step 2 Flocculation

Over time, the larger particles become heavy enough to fall (or settle) to the bottom of the bowl where they are removed.


Loveland's water source comes from both the east and west side of the Continental Divide. The water is drawn from the Big Thompson River and Green Ridge Glade Reservoir.

## Step 3 Filtration

The remaining water flows through filters made of layers of fine materials, like sand, or a combination of sand and coal. These layers stop even smaller particles of pollutants from getting through, and only very clear water is left.

## Step 4 Cleaning

During the last step, bacteria and viruses that may remain in the water are removed with chlorine. Fluoride, the same thing in your toothpaste, is also added at this step to help prevent tooth decay. Another chemical, similar to baking soda, is added at a safe level to protect the pipes from corrosion as the water travels to your home.





## Cameron Peak Fire Recovery

In 2020, the Cameron Peak Fire affected approximately 12% (65,275 acres) of the Big Thompson Watershed, the primary source of Loveland’s drinking water. Wildfires have the potential to negatively impact water quality for years after a fire.

Given the ongoing minor impacts on Loveland’s water supply, LWP is actively investing in recovery efforts for burned areas to mitigate the risks and effects of future fires.

In 2021 and 2022, LWP collaborated with the City of Greeley and the Big Thompson Watershed Coalition (BTWC) to cover strategic areas with mulch to stabilize the soil to prevent erosion into rivers and lakes. Additional physical structures, such as straw wattles and instream structures, were added in 2023 to further reduce erosion potential in severely burned areas.

LWP joined with BTWC and the Larimer Conservation District (LCD) in 2023 to reduce the severity of future wildfires through forest management activities such as tree thinning. Hundreds of acres were thinned throughout the watershed by the end of the year.

Although the Cameron Peak Fire impacted our watershed, it did not effect the quality of our drinking water.





## What is in My Drinking Water?

Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants.

The presence of contaminants does not necessarily indicate that water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hotline 1 (800) 426-4791.

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, people who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by Cryptosporidium and other microbial contaminants are available from the Safe Drinking Water Hotline 1 (800) 426-4791.

The sources of drinking water for both tap water and bottled water include rivers, lakes, streams, ponds, reservoirs, springs and groundwater. As water travels over the surface of the land or through the ground, it dissolves naturally occurring minerals and, in some cases, radioactive material. Water can also pick up substances from animals or from human activity.

## Contaminants that may be present in source water include:



**Microbial contaminants** such as viruses and bacteria that may come from sewage treatment plants, septic systems, agricultural livestock operations and wildlife.



**Inorganic contaminants** such as salts and metals, which can be naturally occurring or resulting from urban stormwater runoff, industrial or domestic wastewater discharges, oil and gas production, mining or farming.



**Pesticides and herbicides** that may come from a variety of sources, such as agriculture, urban stormwater runoff and residential uses.



**Organic chemical contaminants** including synthetic and volatile organic compounds are by-products of industrial processes and petroleum production. These contaminants may also come from gas stations, urban stormwater runoff and septic systems.



**Radioactive contaminants** that can be naturally occurring or be the result of oil and gas production and mining activities.



## Bottled Water

In order to ensure tap water meets water quality standards, the EPA prescribes regulations that limit the amount of certain contaminants in water provided by public water systems. The U.S. Food and Drug Administration (FDA) regulations establish limits for contaminants in bottled water that must provide the same protection for public health. Water from your tap in Loveland meets or exceeds all state and federal water quality standards. Bottled water sometimes comes from public water systems similar to ours. In some cases, the water comes from sources that are not as high quality as LWP's tap water. Additionally, LWP water is much less expensive. You can fill your water bottle with high quality water from your tap for less than one cent per bottle.

## COVID-19

LWP is dedicated to protecting public health and safety. The City of Loveland meets or exceeds federal and state regulations and guidelines by treating drinking water with chlorine to remove pathogens, including viruses such as COVID-19, before providing water to the community. For more information, visit [www.epa.gov/coronavirus/frequent-questions-related-coronavirus-covid-19#drinking-water](https://www.epa.gov/coronavirus/frequent-questions-related-coronavirus-covid-19#drinking-water).

## Did You Know?

Loveland water **meets or exceeds** all state and federal water quality standards. In some cases, Loveland water is even **higher quality** than bottled water sources.

## Monthly Water Analysis

Each month, the Water Quality Laboratory tests the drinking water for non-regulated water quality parameters that provide additional information for brewing, aquariums, hobbies and home plumbing. This table provides the annual results and information for many of these tests. For a complete list, visit [www.lovelandwaterandpower.org/waterquality](http://www.lovelandwaterandpower.org/waterquality).

CSU Water Quality Interpretation Tool: [www.erams.com/wqtool](http://www.erams.com/wqtool)

EPA-Drinking Water Criteria: [www.epa.gov/dwstandardsregulations](http://www.epa.gov/dwstandardsregulations)

Colorado Department of Public Health & Environment: [www.colorado.gov/pacific/cdphe/drinking-water](http://www.colorado.gov/pacific/cdphe/drinking-water)

**MCL:** Maximum Contaminant Level (mandated by the USEPA)

**MCLG:** Maximum Contaminant Level Goal

**SMCL:** Secondary Maximum Contaminant Level (mandated by the USEPA)

**MDRL:** Maximum Disinfectant Residual Level

Parameter	Yearly Average	Description
<b>Alkalinity</b>	34	The CDPHE determined facility specific levels are 20 to 60 mg/L. There is no direct health concern associated with increased alkalinity.
<b>Aluminum</b>	0.02	The SMCL is 0.05 to 0.2 mg/L. Levels above this can cause colored water, scaling and sedimentation.
<b>Ammonia (as N)</b>	Not Detected	There is no direct health concern associated with increased levels of ammonia. Concentrations greater than 1.5 mg/L can cause water odor.
<b>Calcium</b>	7.0	There is no direct health concern associated with increased levels of calcium. Calcium is a primary constituent of hardness.
<b>Chloride</b>	5.6	The SMCL is 250 mg/L. Higher levels may cause water to have a salty taste.
<b>Chlorine, Free</b>	1.4	The CDPHE determined facility-specific levels are 0.2 to 4.0 mg/L. Chlorine is added to the water to disinfect and prevent bacteria growth.
<b>Chromium, Total</b>	Not Detected	The MCL is 0.1 mg/L. Higher levels of chromium are often caused by natural deposits.
<b>Fluoride</b>	0.7	The SMCL is 2.0 mg/L. The MCL is 4.0 mg/L. The CDPHE Oral Health Department recommends an optimal level of 0.7 mg/L. Fluoride is added to reduce dental decay and improve public health.
<b>Hardness</b>	23	Calcium and magnesium are the primary components of water hardness. High water hardness may cause scaling in bathtubs, water heaters and plumbing fixtures. To convert to grains per gallon, divide the hardness value by the correction factor 17.1.
<b>Iron, Total</b>	0.01	The SMCL is 0.3 mg/L. Higher levels of iron may cause rusty-colored water, sedimentation, a metallic taste and/or reddish or orange staining.
<b>Magnesium</b>	1.4	There is no direct health concern associated with increased levels of magnesium. Magnesium is a primary constituent of hardness.

*All results are in ppm (mg/L) unless otherwise noted.*





Parameter	Yearly Average	Description
Manganese	0.02	The SMCL is 0.05 mg/L. Higher levels of manganese may cause black to brown-colored water, black staining and may have a bitter, metallic taste.
pH (S.U.)	7.8	The CDPHE recommended facility levels are 7.3 to 8.6. The SMCL is 6.5 to 8.5. Lower levels may be corrosive to the water system and have a bitter, metallic taste. Higher levels may give water a slippery feel and a soda-like taste.
Potassium	0.7	There is no direct health concern associated with increased levels of potassium. Potassium is an important parameter for homebrewing enthusiasts.
Silica (as SiO <sub>2</sub> )	2.6	There is no direct health concern associated with increased levels of silica. Typically, natural sources of water contain 1 to 100 mg/L of silica.
Specific Conductance (µS/cm)	123	There is no direct health concern associated with increased specific conductance.
Sulfate	12	The SMCL is 250 mg/L. Higher levels may give the water a salty taste.
Total Dissolved Solids	111	The SMCL is 500 mg/L. High dissolved solids may leave deposits on glass and fixtures, can cause staining or give water an undesirable salty taste.
Turbidity (NTU)	0.05	The CDPHE recommended facility limits are 0.3 to 1 NTU. The MCL is 1 NTU. Turbidity is the measure of the cloudiness of water. Higher levels may occur during hydrant flushing, pipeline replacement or valves opening and closing in specific areas of the water system.
Zinc	0.02	The SMCL is 5.0 mg/L. Higher levels of zinc may give the water a metallic taste.

All results are in ppm (mg/L) unless otherwise noted.



# LWP's Algae Response

Algae occurs naturally in the environment and is a part of many healthy ecosystems. Typically, algae blooms occur in late spring through fall.



**The algae that causes taste and odor in Green Ridge Glade Reservoir is Anabaena. While the taste and odor might be unpleasant, it is not harmful.**

- A** Staff regularly monitors reservoir water quality.
- B** Mixers installed in the reservoir agitate surface water to reduce algae growth.
- C** Environmentally friendly algaecide is applied in the event of an algal bloom.
- D** Water sent to the treatment plant can be drawn from different reservoir depths to maximize water quality.
- E** Water quality experts follow procedures to reduce taste and odor issues created by algae.
- F** Treated water delivered to LWP customers is free from algae and meets or exceeds all drinking water standards.



## Fighting Taste and Odor Issues

On occasion, LWP customers inquire about water taste and odor issues. Most often, these issues stem from microscopic organisms known as algae that occur naturally in healthy aquatic ecosystems like the one found in Green Ridge Glade Reservoir. Although taste and odor may be unpleasant, it is harmless and there is no algae in the drinking water itself.

Staying on top of the algae issue requires continuous effort by LWP staff and water quality treatment professionals. The Water Quality Lab has state-of-the-art instrumentation, including gas chromatography/mass spectrometry (GC/MS), to quickly determine how much taste and odor is present. Staff use this information to employ a combination of physical and chemical processes to reduce taste and odor. In addition, the treatment plant utilizes powder-activated carbon to further remove taste and odor from the water.

**During treatment, all algal matter is removed and no algae remains in the drinking water.**



## Source Water Monitoring and Watershed Health Surveillance

LWP's source water monitoring program has collected data for over 30 years to better understand the Big Thompson Watershed. This data has been invaluable in making decisions at the water treatment plant (WTP). Water quality can change rapidly in response to various extreme events, whether natural (such as heavy rain or floods) or artificial, like oil or gasoline from automotive accidents.

LWP has real-time monitoring stations upstream of the WTP intake, providing information to treatment operators for rapid treatment adjustment. In addition, LWP's state-of-the-art laboratory provides information quickly, informing water system operators of unforeseen water quality concerns that may require treatment changes. For more information on LWP's Source Water Monitoring Program see our Journal AWWA article at <https://doi.org/10.1002/awwa.2177>.

By implementing new and innovative monitoring strategies, LWP can proactively evaluate the aquatic health of the Big Thompson River. In addition to water testing, LWP began monitoring macroinvertebrate communities. A diverse insect population creates a healthier river and watershed. LWP also uses macroinvertebrates to monitor chemicals that may affect human health, such as per- and polyfluoroalkyl substances (PFAS). Fortunately, PFAS concentrations are extremely low in Loveland's source water, so low that current technology is unable to measure them accurately. Aquatic insects can accumulate PFAS, making these compounds more easily detected. This provides a better understanding of which compounds may be present.

## Source Water Assessment and Protection

The Colorado Department of Public Health and Environment (CDPHE) provided a Source Water Assessment Report (SWAP) to LWP outlining our water supply. The report provides a screening-level evaluation of potential sources of contamination. That does not mean that contamination occurred or will occur, as some or all of these features can be common in many different watersheds. The potential sources of contamination could include: hazardous waste generators, chemical inventory/storage sites, toxic release inventory sites, permitted wastewater discharge sites, above-ground, underground and leaking storage tank sites, solid waste sites, existing/abandoned mine sites, commercial and industrial transportation, low-intensity residential and urban recreational grasses, assorted crops and forests, septic systems, oil/gas wells and road miles.

LWP expanded upon this report to create a Source Water Protection Plan (SWPP) that contains a more detailed summary on potential threats that are specific to Loveland's drinking water such as fires, floods and algal blooms. It also includes best management practices to help reduce the risk of those threats to continue to protect the source of Loveland's high-quality drinking water. Several of these have already been implemented and efforts will continue into the foreseeable future. The SWPP was developed in coordination with CDPHE and several stakeholders from federal, state, county, and local governments, as well as non-profit organizations and neighboring municipal water providers.

**If you have any questions pertaining to the SWAP program, contact the CDPHE at (303) 692-3592 or [www.colorado.gov/pacific/cdphe/swap-assessment-phase](http://www.colorado.gov/pacific/cdphe/swap-assessment-phase).**

## Interconnects

LWP's water system interconnects with two neighboring water systems – Little Thompson Water District and Fort Collins-Loveland Water District. These interconnections provide a redundant or alternate water supply in case of an emergency or during maintenance shutdowns. In 2023, LWP purchased less than 1% of its total water use from Little Thompson Water District and Fort Collins-Loveland Water District. Information on source water and the Source Water Assessment Program (SWAP) can be found in each utility's Drinking Water Quality Reports or [www.colorado.gov/cdphe/swap-assessment-phase](http://www.colorado.gov/cdphe/swap-assessment-phase). If you have questions about water quality data from either district, please contact those entities directly.

- + Little Thompson Water District – CO0135477, purchases water from Carter Lake Filter Plant – CO0135476. Carter Lake Filter Plant uses water from Carter Lake Reservoir. Please visit [www.ltwd.org](http://www.ltwd.org) or call (970) 532-2096 for more information.
- + Fort Collins-Loveland Water District – CO013529, purchases water from Tri Districts/Soldier Canyon Filter Plant – CO135291 and the City of Fort Collins – CO0135291. Soldier Canyon Filter Plant and the City of Fort Collins use water from the Poudre River and Horsetooth Reservoir. Please visit [www.fclwd.com](http://www.fclwd.com) or call (970) 226-3104 for more information.


Additionally, water quality data from communities throughout the United States are available here:

- + EPA's Drinking Water Data and Reports – please visit [bit.ly/3up8Efz](https://bit.ly/3up8Efz)
- + CDPHE Primary Drinking Water Regulations – please visit [bit.ly/3wxYTyk](https://bit.ly/3wxYTyk)





# Water Testing Locations from Source to Tap



**A** Green Ridge Glade Reservoir or Big Thompson River

**B** City of Loveland Water Treatment Plant

**C** Loveland Residents and Businesses

**D** Neighboring Water Districts

**A** **Source Water**  
Water is tested prior to entering the water treatment plant to ensure the treatment plant will provide fresh, high quality drinking water.

**B** **Before Leaving the Plant**  
Prior to sending the water to your home or business, we test to confirm that our treatment process was effective.

**C** **Sampling Ensures High Water Quality**  
Water is tested frequently at various points in the distribution system to ensure water is free from lead and copper, as well as many other contaminants that could make people sick.

**D** **Water Purchases and Sales**  
LWP works closely with neighboring water districts to meet local demand. Whether entering or leaving our system, our water quality experts test frequently to ensure all state and federal water quality standards are met.


# Parameters Monitored

## Lead and Copper

In 1991, the EPA issued the Lead and Copper Rule (LCR) which limits the amount of lead and copper allowed in drinking water. Corrosion of home and building plumbing is typically the source of lead and copper in drinking water. It is rarely detected in the water being delivered to residential homes. LWP samples annually for lead and copper in homes that have the highest potential for lead and copper utilizing guidance criteria from the EPA. The results of this testing are used for regulatory compliance and to maintain proper corrosion control within the distribution system. Please contact LWP if your home is known to contain lead or copper pipes and you are interested in having your water tested.

The EPA recently adopted an update to the LCR, known as the Lead and Copper Rule Revision (LCRR), which will take effect in 2024. Along with continuing to require lead and copper monitoring in residential homes, the revised rule better protects children and communities from the risk of lead exposure by increased monitoring at schools and childcare facilities. Loveland's Water Quality Laboratory houses state-of-the-art equipment dedicated to this sampling and analytical requirement.

This revision also requires water systems to determine the amount of lead-containing material present in the distribution system. Loveland has more than 470 miles of water lines and over 28,000 service connections. Starting in 2020, in preparation for the revision, LWP began visually inspecting these lines and reviewing records so if lead is found, those lines are removed and replaced with non-lead-containing materials. These inspections will continue into 2024. Information from these inspections will be available to our customers online. LWP is dedicated to ensuring that water consumed at the tap continues to meet or exceed all state and federal monitoring requirements.



When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap with cold water for 30 seconds to 2 minutes before using water for drinking or cooking.

In 2023, the Lead and Copper Rule Action Levels were 15 parts per billion (ppb) for lead and 1300 ppb (or 1.3 parts per million) for copper. These are the highest levels allowed before any treatment changes are required at the water plant. LWP was not required to sample for lead and copper in 2023. The most recent sampling was done in 2022 and none of the regulatory sample sites exceeded the action levels for lead.

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. LWP is responsible for providing high-quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your drinking water, you may wish to have your water tested.

---

**Information on lead in drinking water, testing methods and how you can minimize exposure is available from the EPA's Safe Drinking Water Hotline 1 (800) 426-4791 or at [www.epa.gov/safewater/lead](http://www.epa.gov/safewater/lead).**



## Per- and Polyfluoroalkyl Substances (PFAS)

Per- and polyfluoroalkyl substances (PFAS) are manufactured chemicals used in numerous industries since the 1940s for non-stick cookware, water-resistant clothing, and firefighting foams. If continuously exposed to high concentrations, these chemicals may persist in the environment and the human body for an extended period, with potential adverse health outcomes.

The EPA is creating regulatory requirements related to PFAS to protect the health of humans and the environment. Independently and proactively, LWP is increasing PFAS monitoring to determine if, or when, it may exist in Loveland's source water and drinking water.

In addition to internal monitoring for drinking water, LWP partnered with the United States Geological Survey (USGS) in 2023 to test for PFAS compounds in the source water. In 2023, at the time of sampling, there were no detections of PFAS compounds proposed by the EPA for drinking water regulations. LWP will continue testing for PFAS and results will be posted when available.

The most recent results are available at: [www.lovelandwaterandpower.org/waterquality](http://www.lovelandwaterandpower.org/waterquality). These efforts will enable LWP to effectively mitigate potential PFAS issues and ensure Loveland residents continue to enjoy excellent water quality.



## Volatile and Synthetic Organic Compounds (VOCs and SOCs)

Water quality regulators at the state require providers like LWP to test for VOCs every year and SOCs every three years. No contaminants were detected at or above reporting limits in the current testing cycle.

## Unregulated Contaminants

The EPA uses the Unregulated Contaminant Monitoring Rule (UCMR) to collect data for contaminants that are suspected to be present in drinking water and do not have health-based standards set under the Safe Drinking Water Act.

For more information on the Unregulated Contaminant Monitoring Rule, visit [www.epa.gov/dwucmr](http://www.epa.gov/dwucmr).

# 2023 Water Quality Tables

The CDPHE and EPA require LWP to monitor for certain contaminants less than one time per year because the concentrations of these contaminants are not expected to vary significantly from year to year or the system is not considered vulnerable to this type of contamination. Some Loveland data, though representative, may be more than one year old. This report presents the results of our monitoring for the period January 1 to December 31, 2023 unless otherwise noted.

## Raw and Finished Water Ratio

Parameter	Year	Average	Range Low-High	Sample Size	Unit of Measure	TT Minimum Ratio	TT Violation	Typical Sources
Total Organic Carbon Ratio	2023	1.44	1.03-1.62	8	Ratio	1.00	No	Naturally present in the environment

## Entry Point of the Distribution System

Parameter	Month	Level Found	TT Requirement	TT Violation	Typical Sources
Turbidity	March	Highest single measurement: 0.28 NTU <sup>[3]</sup>	Maximum 1 NTU for any single measurement	No	Soil Runoff
Turbidity	December	Lowest monthly percentage of samples meeting TT requirement for our technology: 100%	In any month, at least 95% of samples must be less than 0.3 NTU	No	Soil Runoff

Parameter	Year	Average	Range Low-High	Sample Size	Unit of Measure	MCL	MCLG	MCL Violation	Typical Sources
Barium	2023	0.01	0.01-0.01	1	ppm	2	2	No	Discharge of drilling wastes; discharge from metal refineries; erosion of natural deposits
Fluoride	2023	0.66	0.66-0.66	1	ppm	4	4	No	Erosion of natural deposits; water additive which promotes strong teeth; discharge from fertilizer and aluminum factories
Nitrate	2023	0.5	0.5-0.5	1	ppm	10	10	No	Runoff from fertilizer use; leaching from septic tanks, sewage; erosion of natural deposits
Radium, Combined	2020	1.4	1.4-1.4	1	pCi/L	5	0	No	Erosion of natural deposits



**Distribution System**

Parameter	Month	Results	Number of Samples Below Level	Sample Size	TT Violation	MRDL
Chlorine Residual	December 2023	<u>Lowest period</u> percentage of samples meeting TT requirement: 100%	0	100	No	4.0 ppm

Parameter	Year	Average	Range Low-High	Sample Size	Unit of Measure	Secondary Standard	Parameter	Detected	MCL	MCLG	Sample Size
Sodium <sup>[1]</sup>	2023	15.2	15.2-15.2	1	ppm	N/A	E. coli	0%	Sample based	0% Present	1170

Parameter	Year	Average	Range Low-High	Sample Size	Unit of Measure	MCL	MCLG	MCL Violation	Typical Sources
Total Haloacetic Acids (HAA5)	2023	27.73 <sup>[2]</sup>	20.2-48.7	32	ppb	60	N/A	No	Byproduct of drinking water disinfection
Total Trihalomethanes (TTHM)	2023	38.54 <sup>[2]</sup>	25.8-61.6	32	ppb	80	N/A	No	Byproduct of drinking water disinfection
Chlorite	2023	0.02	0-0.06	3	ppb	1	0.8	No	Byproduct of drinking water disinfection

**Regulated at the Consumer’s Tap**

Parameter	Monitoring Period	90th Percentile	Sample Size	Unit of Measure	Action Level	Sample Sites Above Action Level	Violation	Typical Sources
Copper	6/7/2022-9/14/2022	0.14	41	ppm	1.3	0	No	Corrosion of household plumbing systems; Erosion of natural deposits
Lead	6/7/2022-9/14/2022	1.6	41	ppb	15	0	No	Corrosion of household plumbing systems; Erosion of natural deposits

**Acronym Definitions**

**MCL:** Maximum Contaminant Level - Sets the highest level of a contaminant allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

**MCLG:** Maximum Contaminant Level Goal - Establishes the level of a contaminant in drinking water, below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

**MRDL:** Maximum Residual Disinfection Level - The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.

**N/A:** Not Applicable

**ND:** Non Detect - Occurs when a laboratory analysis indicates that the constituent is not present.

**NTU:** Nephelometric Turbidity Unit - A measure of particles in the water. At 5 NTU, particles are barely visible in a glass of water.

**ppb:** Parts of contaminant per billion parts of water.

**ug/L:** Micrograms per liter, equal to ppb

**ppm:** Parts of contaminant per million parts of water

**mg/L:** Milligrams per liter, equal to ppm

**pCi/L:** Picocuries per liter

**TT:** Treatment Technique means a required process intended to reduce the level of a contaminant in drinking water.

**Table Footnotes**

**[1]** Secondary Contaminants - Secondary standards are non-enforceable guidelines for contaminants that may cause cosmetic effects (such as skin, or tooth discoloration) or aesthetic effects (such as taste, odor or color) in drinking water.

**[2]** Running Annual Average of the removal ratio between raw water Total Organic Carbon (TOC) and the finished water TOC.

**[3]** None of the turbidity readings for 2020 were over the 0.3 NTU reporting limit for continuous turbidity measurements. The highest turbidity reading of 0.318 NTU did not exceed the reporting limit of 1.0 NTU for any single measurement.

# Frequently Asked Questions

---

## Do I need a water filtration system?

No. LWP treated water is lead-free and meets or exceeds all state and federal standards. However, if your home has lead pipes or solder, you may wish to install a filtration system to remove lead that meets NSF/ANSI-53 standards. Decisions regarding installing a filtration system, and through which company, are the responsibility of the customer. Filters should be maintained as specified by the manufacturer.

---

## Do I need a water softener?

LWP's water is considered soft in comparison to other water systems. All tap water will have some hardness. Hardness is measured monthly and may be reviewed in the Monthly Drinking Water Analysis on LWP's website, [www.lovelandwaterandpower.org/waterquality](http://www.lovelandwaterandpower.org/waterquality). Decisions regarding the installation of a water softener, and through which company, are the responsibility of the customer.

---

## Water has a chlorine smell and/or taste?

Consistent with state and federal regulations, LWP adds chlorine during the water treatment process to disinfect and prevent bacterial growth. To reduce the chlorine taste and/or smell, use a simple point-of-use carbon filter, chill the water or allow the water to sit for a few hours while the chlorine dissipates.

---

## Why is my water discolored?

Water discoloration or turbid water is caused by the stirring of sediment in the water line. Common causes include fire hydrant flushing, firefighting activities, water line breaks or operational maintenance. If you experience staining of laundry due to discolored water, do not let the laundry dry. Wash the laundry using a rust removal product or contact LWP to receive a cleaning product that will remove the stains. Do not use chlorine bleach.

---

## Is there fluoride in my water?

Yes, fluoride exists naturally in virtually all water supplies and even in various brands of bottled water. As directed by City Council and according to public health guidelines, LWP actively manages fluoride levels in the water. Visit [www.cdc.gov/fluoridation/index.html](http://www.cdc.gov/fluoridation/index.html) for more information.

---

## Can I get my water tested?

For additional testing, please contact an independent drinking water laboratory. Decisions regarding whether to perform additional testing, and through which company, are the responsibility of the customer. A list of certified testers is available at [cdphe.colorado.gov/laboratory-services/water-testing/homeowner-water-testing](http://cdphe.colorado.gov/laboratory-services/water-testing/homeowner-water-testing). For a list of private labs certified to test drinking water for lead, please visit <https://cdphe.colorado.gov/dwlab> or contact LWP. Visit [www.lovelandwaterandpower.org/waterquality](http://www.lovelandwaterandpower.org/waterquality) for results of the monthly Drinking Water Analysis.

## Questions about this report or our water?

Contact **Tim Bohling, Water Quality Manager**, at (970) 962-3479 or by email at [Tim.Bohling@cityofloveland.org](mailto:Tim.Bohling@cityofloveland.org).

This report and other important information about Loveland Water and Power can be found online at [www.lovelandwaterandpower.org/waterquality](http://www.lovelandwaterandpower.org/waterquality).

Para recibir una copia gratuita en español, llame al (970) 962-3000 o envíe un correo electrónico a [LWPinfo@cityofloveland.org](mailto:LWPinfo@cityofloveland.org).



If you know customers that do not have a copy of this report or do not have access to the internet, please share this report with them.

## Violations

The City of Loveland is proud to report that in 2023, water provided to the community met or exceeded established state and federal water quality standards.

## Loveland Utilities Commission

If you are interested in monthly public meetings, the Loveland Utilities Commission meets monthly at the City of Loveland Service Center. Visit [www.lovelandwaterandpower.org/LUC](http://www.lovelandwaterandpower.org/LUC) for schedules and agendas.





Loveland Water and Power

**Office**

Loveland Service Center  
200 North Wilson Avenue  
Loveland, CO 80537  
Public Water System Identification  
Number: CO0135485  
Office Hours: 8 a.m. to 5 p.m.  
Monday - Friday

**Contact Us**

(970) 962-3000  
[LWPInfo@cityofloveland.org](mailto:LWPInfo@cityofloveland.org)  
[www.lovelandwaterandpower.org](http://www.lovelandwaterandpower.org)

